

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20010032254"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 15:57
L2	864	kuwahara.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 15:59
L3	11	"6202072"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 15:59
L4	1	"6202072".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 15:59
L5	10	("6202072").URPN.	USPAT	OR	ON	2006/02/03 16:00
L6	6	("5752021" "5802529" "5911776" "5915259" "5920879" "6014680").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/03 16:04
L7	7357	hierarch\$5 with (database (data adj base))	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/03 16:05
L8	2813	(707/104.1).CCLS.	USPAT	OR	OFF	2006/02/03 16:05
L9	3288	hierarch\$5 with (database (data adj base))	USPAT	OR	ON	2006/02/03 16:06
L10	303	8 and 9	USPAT	OR	ON	2006/02/03 16:06
L11	13	10 and (((lay adj out) layout) with table)	USPAT	OR	ON	2006/02/03 16:08
L12	747	feild.xp. and joseph.xp.	USPAT	OR	ON	2006/02/03 16:09
L13	1	12 and dodge.in.	USPAT	OR	ON	2006/02/03 16:09

L14	48	(US-20020067506-\$ or US-20020078115-\$ or US-20020116417-\$ or US-20030018652-\$ or US-20030058286-\$ or US-20030079177-\$ or US-20030107767-\$ or US-20040122971-\$ or US-20040181554-\$ or US-20040249803-\$ or US-20050022115-\$ or US-20050060277-\$ or US-20050216875-\$ or US-20050223320-\$ or US-20010032254-\$).did. or (US-4910669-\$ or US-5050074-\$ or US-5339392-\$ or US-5455945-\$ or US-5664182-\$ or US-5852450-\$ or US-5895476-\$ or US-5895477-\$ or US-5903902-\$ or US-5956737-\$ or US-6046740-\$ or US-6088708-\$ or US-6161114-\$ or US-6185550-\$ or US-6216134-\$ or US-6292795-\$ or US-6330659-\$ or US-6675161-\$ or US-6675351-\$ or US-6742003-\$ or US-6928610-\$ or US-6941302-\$ or US-6944829-\$ or US-6014680-\$ or US-6202072-\$ or US-5181162-\$).did. or (US-5655130-\$ or US-6243711-\$ or US-6282539-\$ or US-6662199-\$ or US-6920457-\$ or US-6829606-\$ or US-6785667-\$).did.	US-PGPUB; USPAT	OR	ON	2006/02/03 16:55
L15	5	14 and (text adj object)	US-PGPUB; USPAT	OR	ON	2006/02/03 17:32
L16	4	15 and (horizontal vertical)	US-PGPUB; USPAT	OR	ON	2006/02/03 16:56
L17	1	15 and (orientation)	US-PGPUB; USPAT	OR	ON	2006/02/03 16:56
L18	3	14 and (view adj table)	US-PGPUB; USPAT	OR	ON	2006/02/03 17:04
L19	19	14 and (dataset (data adj set))	US-PGPUB; USPAT	OR	ON	2006/02/03 17:32
L20	3	14 and ((dataset (data adj set)) with table)	US-PGPUB; USPAT	OR	ON	2006/02/03 17:08
L21	7	14 and ((dataset (data adj set)) with stor\$5)	US-PGPUB; USPAT	OR	ON	2006/02/03 17:05
L22	10	19 not (20 21)	US-PGPUB; USPAT	OR	ON	2006/02/03 17:09
L23	22	14 and (text with object)	US-PGPUB; USPAT	OR	ON	2006/02/03 17:27

L24	19	14 and (text near3 object)	US-PGPUB; USPAT	OR	ON	2006/02/03 17:27
L25	15	14 and (text near object)	US-PGPUB; USPAT	OR	ON	2006/02/03 17:27
L26	5	15 and view\$5	US-PGPUB; USPAT	OR	ON	2006/02/03 17:38
L27	2	15 and (dataset (data adj set))	US-PGPUB; USPAT	OR	ON	2006/02/03 17:38
L28	15	25 and view\$5	US-PGPUB; USPAT	OR	ON	2006/02/03 17:43
L29	3	25 and (dataset (data adj set))	US-PGPUB; USPAT	OR	ON	2006/02/03 17:38
L30	4	25 and (view\$5 with table)	US-PGPUB; USPAT	OR	ON	2006/02/03 17:40
L31	33	14 and root	US-PGPUB; USPAT	OR	ON	2006/02/03 17:43
L32	36	14 and parent	US-PGPUB; USPAT	OR	ON	2006/02/03 17:43
L33	30	31 and 32	US-PGPUB; USPAT	OR	ON	2006/02/03 17:43
L34	29	33 and type	US-PGPUB; USPAT	OR	ON	2006/02/03 17:44
L35	19	34 and split	US-PGPUB; USPAT	OR	ON	2006/02/03 17:44
L36	10	layout and (split\$ with (child daughter son parent top)) and (blog gallery) and presentation and (xML html java asp php ascii) and database and table and view\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L37	10	L36 and horizontal and vertical	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L38	0	("6928610").URPN.	USPAT	OR	ON	2006/02/03 18:12
L39	15	("5895476").URPN.	USPAT	OR	ON	2006/02/03 18:12
L40	134	(715/520).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/03 18:12
L41	713	(715/517).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/03 18:12
L42	379	(715/523).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/03 18:12
L43	174	(715/509).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/03 18:12

L44	62	(715/519).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/03 18:12
L45	2471	(715/513).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/03 18:12
L46	87	(715/521).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/03 18:12
L47	12	(database same (hierarchy with split\$))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L48	13	(layout (lay adj out)) same (hierarchy with split\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L49	12	L48 not L47	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L50	2	(layout (lay adj out)) with (hierarchy near3 split\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L51	12	(layout (lay adj out)) with (hierarchy near3 frames)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L52	21	(US-20030079177-\$ or US-20050022115-\$ or US-20050060277-\$ or US-20050223320-\$ or US-20040249803-\$ or US-20020067506-\$ or US-20040181554-\$ or US-20030018652-\$ or US-20050216875-\$ or US-20040122971-\$ or US-20030058286-\$ or US-20020078115-\$).did. or (US-5895476-\$ or US-5895477-\$ or US-5903902-\$ or US-5956737-\$ or US-6161114-\$ or US-6928610-\$ or US-6292795-\$ or US-6742003-\$ or US-6216134-\$ or US-6944829-\$ or US-6330659-\$).did.	US-PGPUB; USPAT	OR	ON	2006/02/03 18:12
L53	1	L52 and (horizontal vertical) and (datastore database) and views and (text adj object)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L54	1	L52 and (horizontal vertical) and (text adj object)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L55	13	L52 and (horizontal vertical)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12

L56	12	L55 and text	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L57	9	L56 and action	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L58	9	L57 and (database datastore (data adj store))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L59	9	L58 and object	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L60	894641	15and frame	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L61	14	L52 and frame	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L62	1900	(707/100).CCLS.	USPAT	OR	OFF	2006/02/03 18:12
L63	2577	(707/102).CCLS.	USPAT	OR	OFF	2006/02/03 18:12
L64	1382	split with window	USPAT	OR	ON	2006/02/03 18:12
L65	2060	split with window	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L66	1045	actions adj table	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L67	1045	action adj table	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L68	6048	view adj table	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L69	4644	object adj table	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L70	542	layout adj table	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L71	20308	pane	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L72	894273	frame	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L73	25	layout adj data adj table	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12

L74	426	parent adj field	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L75	21931	type adj field	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L76	0	(L65 L71 L72) with (L70 and L73)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L77	17	(L65 L71 L72) with (L70)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L78	0	L77 and L73	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L79	27	(L65 L71 L72) same(L70)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L80	27	(L65 L71 L72) same (L70)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L81	0	L80 and L73	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L82	0	L67 and L68 and L69 and L70 and L73	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L83	1	L67 and L68 and L69 and L70 and L74 and L75	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L84	1	layoutdata adj table	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L85	1	L67 and L68 and L69 and L70 and L75	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L86	1	L67 and L68 and L69 and L70	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L87	3	L67 and L68 and L69	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L88	17	(L65 L71 L72) with (L70)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L89	10	L80 not L77	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12

L90	485	L68 and L69	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L91	4	L68 and L69 and L70	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L92	0	L68 and L69 and L73	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L93	12	L70 and L73	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L94	6048	"view table"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L95	6048	"views table"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L96	249	hierarchy adj (split frame pane segment)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L97	2874	text adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L98	91536	orientation with (horizontal vertical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L99	4	L97 same L98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L100	51	L97 and L98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L101	28	L100 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12

L102	22	L101 and (split\$ frame pane window)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L103	7	L101 and (hierarchy with (split\$ frame pane window))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L104	784	(hierarchy adj2 (split\$ frame pane window))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L105	261	L104 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L106	15	L105 and L97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L107	0	iew same reference same L97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L108	3	view same table same reference same L97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L109	0	view same table same (layout (lay adj out)) same reference same L97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L110	15	view same reference same L97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L111	187	715/514	USPAT	OR	ON	2006/02/03 18:12
L112	18	parent and chld and node and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12

L113	0	L112 and database and layout and view	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L114	17	L112 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L115	0	L114 and L97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L116	0	L112 and L97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L117	17	L112 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L118	466	database and ((parent and type) with field)	USPAT	OR	ON	2006/02/03 18:12
L119	0	("6941302").URPN.	USPAT	OR	ON	2006/02/03 18:12
L120	24	("20020055958" "20020099710" "20020178223" "5442778" "5463773" "5537586" "5544360" "5611049" "5634051" "5812995" "5819258" "5884075" "6038560" "6085234" "6154213" "6185550" "6216134" "6295533" "6308179" "6389436" "6430575" "6562076" "6675161" "6701333").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/03 18:12
L121	2	L118 and L120	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L122	10	("6185550").URPN.	USPAT	OR	ON	2006/02/03 18:12
L123	2	L118 and L122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L124	1023	database and ((parent and type) with field)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12

L125	8	L124 and L104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L126	5996	action with stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L127	30	(US-20020067506-\$ or US-20020078115-\$ or US-20030018652-\$ or US-20030058286-\$ or US-20030079177-\$ or US-20040122971-\$ or US-20040181554-\$ or US-20040249803-\$ or US-20050022115-\$ or US-20050060277-\$ or US-20050216875-\$ or US-20050223320-\$).did. or (US-5852450-\$ or US-5895476-\$ or US-5895477-\$ or US-5903902-\$ or US-5956737-\$ or US-6088708-\$ or US-6161114-\$ or US-6216134-\$ or US-6292795-\$ or US-6330659-\$ or US-6742003-\$ or US-6928610-\$ or US-6944829-\$ or US-5664182-\$ or US-6046740-\$ or US-4910669-\$ or US-6941302-\$ or US-6675161-\$ or US-6185550-\$ or US-5455945-\$).did.	US-PGPUB; USPAT	OR	ON	2006/02/03 18:12
L128	0	L126 and L127	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L129	19203	(actions operation) with (heap stack table) with (stor\$5 sav\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L130	125	actions with operation with (table) with (stor\$5 sav\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L131	1	L127 and L130	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L132	0	L130 same database same ((lay adj out) layout) same view	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L133	21	L130 same database	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12

L134	6	L133 and ((lay adj out) layout) and view	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L135	21	L130 same database	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L136	15	L133 not L134	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L137	1376	objects with table with text	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L138	0	objects with table with text with view with refence	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L139	1	objects with table with text with view with reference	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L140	34	objects with table with text with view	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L141	1	L127 and L140	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L142	34	objects with table with text with view	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L143	10	L127 and L137	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L144	19	L105 and (text adj2 object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L145	4	L144 not L106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L146	271	html same frame same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L147	36	L146 and layout and table and parent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12

L148	36	L146 and layout and table and parent and type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L149	0	L146 and layout and table and (parent adj2 field) and (type adj2 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L150	1	L146 and (parent adj2 field) and (type adj2 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:12
L151	28	lay with out with data with table	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L152	1156	layout with data with table	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L153	94	hierarchy near3 split	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L154	2	L152 and L153	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L155	220	hierarchy with split	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L156	2	L152 and L155	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L157	591	hierarchy same split	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L158	3	L152 and L157	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L159	3382	parent with field	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L160	171454	type with field	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12
L161	12	L159 and L160 and L152	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/03 18:12